

## ANTI-SPLASH FLOOR TROUGHS

Made To Drain Anti-Splash Floor Troughs keep water and liquids draining rather than pooling, and have a 60° bend to prevent splash. Floor Troughs are pitched 1" (25) on each end to center drain. Troughs 96" (2438) and longer are provided with two drains. Troughs are supplied standard with removable gray anti-slip fiberglass grates..

### Features

- ▶ 14 gauge heavy-duty stainless steel all-welded construction
- ▶ All seams welded and polished to match adjacent finish
- ▶ Unique grout locking holes around flange perimeter are standard
- ▶ 3.5" (89) diameter drain connection
- ▶ Units 96" (2438) and larger will have 2 drains
- ▶ Provided with a removable perforated stainless steel basket strainer
- ▶ Standard fiberglass grating
- ▶ All troughs include stainless steel anchor straps
- ▶ Floor trough pitched 1" (25) to center drain
- ▶ 6" (152) standard depth
- ▶ 60° bend prevents splash by guiding waste water to inner corners of trough



Model ASDT-1860

### Specifications

Floor modules to be constructed of 14 gauge Type 201 stainless steel with a polished finish, designed in compliance and certified with all applicable NSF and NFSI standards. Trough pans have continuous welded heavy duty construction with all exposed welds ground and polished to match adjacent finish. Trough pan to have 60° bend to reduce splash back onto floor or equipment. The floor trough pan is pitched 1" (25) to an integral recessed sump drain that includes 6" (152) diameter removable stainless steel strainer basket (trough lengths 96" (2438) and above supplied with two drains). 3 1/2" (89) O.D. waste pipe. Trough contains unique grout locking holes spaced every 1 3/8" (35) around outside perimeter. Walking surface to be fiberglass reinforced resin anti-slip grating with integral flex to provide anti-fatigue benefit. Non-slip grate coating to be alumina grit. Weight capacity ranges from 1425 lbs (646 kg) to 3500 lbs (1591 kg) per grate. Trough has 6" (152) standard depth. NSF listed. Troughs carry City of Los Angeles research report approval #RR5582.




#### Made To Drain, LLC.

4900 West Electric Ave. • West Milwaukee, WI 53219  
(P) 866.895.7264 • (F) 414.902.6564 • info@madetodrain.com


[www.madetodrain.com](http://www.madetodrain.com)

Project #: \_\_\_\_\_

Item #: \_\_\_\_\_



**SECTION**  
not to scale



**Made To Drain, LLC.**  
4900 West Electric Ave. • West Milwaukee, WI 53219  
phone 866.895.7264 • fax 414.902.6564 • e-mail info@madetodrain.com

[www.madetodrain.com](http://www.madetodrain.com)

Project #: \_\_\_\_\_

Item #: \_\_\_\_\_

**Model Information**

Model	Width		Length		# of Grates
	W1	W2	L1	L2	
ASDT-1220	12 7/8" (327)	14 3/4" (375)	21 3/4" (552)	23 5/8" (600)	1
ASDT-1224	12 7/8" (327)	14 3/4" (375)	26 9/16" (675)	28 3/8" (721)	2
ASDT-1230	12 7/8" (327)	14 3/4" (375)	29 1/2" (749)	31 3/8" (797)	2
ASDT-1236	12 7/8" (327)	14 3/4" (375)	37" (940)	38 7/8" (987)	2
ASDT-1240	12 7/8" (327)	14 3/4" (375)	41 7/16" (1053)	43 5/16" (1100)	2
ASDT-1242	12 7/8" (327)	14 3/4" (375)	43 1/4" (1099)	45 1/8" (1449)	3
ASDT-1248	12 7/8" (327)	14 3/4" (375)	49 1/4" (1251)	51 1/16" (1297)	3
ASDT-1254	12 7/8" (327)	14 3/4" (375)	55 3/16" (1402)	57 1/16" (1449)	3
ASDT-1260	12 7/8" (327)	14 3/4" (375)	61 1/8" (1553)	63" (1600)	3
ASDT-1272	12 7/8" (327)	14 3/4" (375)	73 1/2" (1867)	75 3/8" (1915)	4
ASDT-1280	12 7/8" (327)	14 3/4" (375)	80 15/16" (2056)	82 13/16" (2103)	4
ASDT-1284	12 7/8" (327)	14 3/4" (375)	85 3/4" (2178)	87 5/8" (2226)	5
ASDT-1296	12 7/8" (327)	14 3/4" (375)	97 11/16" (2481)	99 1/2" (2527)	5
ASDT-12100	12 7/8" (327)	14 3/4" (375)	100 5/8" (2556)	102 1/2" (2604)	5
ASDT-12108	12 7/8" (327)	14 3/4" (375)	109 7/8" (2791)	111 3/4" (2838)	6
ASDT-12120	12 7/8" (327)	14 3/4" (375)	120 5/16" (3056)	122 3/16" (3104)	6
ASDT-12140	12 7/8" (327)	14 3/4" (375)	140 1/8" (3559)	142" (3607)	7
ASDT-1820	18 7/8" (479)	20 3/4" (527)	21 3/4" (552)	23 5/8" (600)	1
ASDT-1824	18 7/8" (479)	20 3/4" (527)	26 9/16" (675)	28 3/8" (721)	2
ASDT-1830	18 7/8" (479)	20 3/4" (527)	29 1/2" (749)	31 3/8" (797)	2
ASDT-1836	18 7/8" (479)	20 3/4" (527)	37" (940)	38 7/8" (987)	2
ASDT-1840	18 7/8" (479)	20 3/4" (527)	41 7/16" (1053)	43 5/16" (1100)	2
ASDT-1842	18 7/8" (479)	20 3/4" (527)	43 1/4" (1099)	45 1/8" (1449)	3
ASDT-1848	18 7/8" (479)	20 3/4" (527)	49 1/4" (1251)	51 1/16" (1297)	3
ASDT-1854	18 7/8" (479)	20 3/4" (527)	55 3/16" (1402)	57 1/16" (1449)	3
ASDT-1860	18 7/8" (479)	20 3/4" (527)	61 1/8" (1553)	63" (1600)	3
ASDT-1872	18 7/8" (479)	20 3/4" (527)	73 1/2" (1867)	75 3/8" (1915)	4
ASDT-1880	18 7/8" (479)	20 3/4" (527)	80 15/16" (2056)	82 13/16" (2103)	4
ASDT-1884	18 7/8" (479)	20 3/4" (527)	85 3/4" (2178)	87 5/8" (2226)	5

Model	Width		Length		# of Grates
	W1	W2	L1	L2	
ASDT-1896	18 7/8" (479)	20 3/4" (527)	97 11/16" (2481)	99 1/2" (2527)	5
ASDT-18100	18 7/8" (479)	20 3/4" (527)	100 5/8" (2556)	102 1/2" (2604)	5
ASDT-18108	18 7/8" (479)	20 3/4" (527)	109 7/8" (2791)	111 3/4" (2838)	6
ASDT-18120	18 7/8" (479)	20 3/4" (527)	120 5/16" (3056)	122 3/16" (3104)	6
ASDT-18140	18 7/8" (479)	20 3/4" (527)	140 1/8" (3559)	142" (3607)	7
ASDT-2420	24 7/8" (632)	26 3/4" (679)	21 3/4" (552)	23 5/8" (600)	1
ASDT-2424	24 7/8" (632)	26 3/4" (679)	26 9/16" (675)	28 3/8" (797)	2
ASDT-2430	24 7/8" (632)	26 3/4" (679)	29 1/2" (749)	31 3/8" (721)	2
ASDT-2436	24 7/8" (632)	26 3/4" (679)	37" (940)	38 7/8" (987)	2
ASDT-2440	24 7/8" (632)	26 3/4" (679)	41 7/16" (1053)	43 5/16" (1100)	2
ASDT-2442	24 7/8" (632)	26 3/4" (679)	43 1/4" (1099)	45 1/8" (1449)	3
ASDT-2448	24 7/8" (632)	26 3/4" (679)	49 1/4" (1251)	51 1/16" (1297)	3
ASDT-2454	24 7/8" (632)	26 3/4" (679)	55 3/16" (1402)	57 1/16" (1449)	3
ASDT-2460	24 7/8" (632)	26 3/4" (679)	61 1/8" (1553)	63" (1600)	3
ASDT-2472	24 7/8" (632)	26 3/4" (679)	73 1/2" (1867)	75 3/8" (1915)	4
ASDT-2480	24 7/8" (632)	26 3/4" (679)	80 15/16" (2056)	82 13/16" (2103)	4
ASDT-2484	24 7/8" (632)	26 3/4" (679)	85 3/4" (2178)	87 5/8" (2226)	5
ASDT-2496	24 7/8" (632)	26 3/4" (679)	97 11/16" (2481)	99 1/2" (2527)	5
ASDT-24100	24 7/8" (632)	26 3/4" (679)	100 5/8" (2556)	102 1/2" (2604)	5
ASDT-24108	24 7/8" (632)	26 3/4" (679)	109 7/8" (2791)	111 3/4" (2838)	6
ASDT-24120	24 7/8" (632)	26 3/4" (679)	120 5/16" (3056)	122 3/16" (3104)	6
ASDT-24140	24 7/8" (632)	26 3/4" (679)	140 1/8" (3559)	142" (3607)	7
ASDT-3020	30 7/8" (784)	32 3/4" (832)	21 3/4" (552)	23 5/8" (600)	1
ASDT-3024	30 7/8" (784)	32 3/4" (832)	26 9/16" (675)	28 3/8" (721)	2
ASDT-3030	30 7/8" (784)	32 3/4" (832)	29 1/2" (749)	31 3/8" (797)	2
ASDT-3036	30 7/8" (784)	32 3/4" (832)	37" (940)	38 7/8" (987)	2
ASDT-3040	30 7/8" (784)	32 3/4" (832)	41 7/16" (1053)	43 5/16" (1100)	2
ASDT-3042	30 7/8" (784)	32 3/4" (832)	43 1/4" (1099)	45 1/8" (1449)	3
ASDT-3048	30 7/8" (784)	32 3/4" (832)	49 1/4" (1251)	51 1/16" (1297)	3

**More Models ->**

**Made To Drain, LLC.**

4900 West Electric Ave. • West Milwaukee, WI 53219

phone 866.895.7264 • fax 414.902.6564 • e-mail info@madetodrain.com

[www.madetodrain.com](http://www.madetodrain.com)

**Model Information (continued)**

Model	Width		Length		# of Grates	Model	Width		Length		# of Grates
	W1	W2	L1	L2			W1	W2	L1	L2	
ASDT-3054	30 7/8" (784)	32 3/4" (832)	55 3/16" (1402)	57 1/16" (1449)	3	ASDT-3640	36 7/8" (937)	38 3/4" (984)	41 7/16" (1053)	43 5/16" (1100)	2
ASDT-3060	30 7/8" (784)	32 3/4" (832)	61 1/8" (1553)	63" (1600)	3	ASDT-3642	36 7/8" (937)	38 3/4" (984)	43 1/4" (1099)	45 1/8" (1449)	3
ASDT-3072	30 7/8" (784)	32 3/4" (832)	73 1/2" (1867)	75 3/8" (1915)	4	ASDT-3648	36 7/8" (937)	38 3/4" (984)	49 1/4" (1251)	51 1/16" (1297)	3
ASDT-3080	30 7/8" (784)	32 3/4" (832)	80 15/16" (2056)	82 13/16" (2103)	4	ASDT-3654	36 7/8" (937)	38 3/4" (984)	55 3/16" (1402)	57 1/16" (1449)	3
ASDT-3084	30 7/8" (784)	32 3/4" (832)	85 3/4" (2178)	87 5/8" (2226)	5	ASDT-3660	36 7/8" (937)	38 3/4" (984)	61 1/8" (1553)	63" (1600)	3
ASDT-3096	30 7/8" (784)	32 3/4" (832)	97 11/16" (2481)	99 1/2" (2527)	5	ASDT-3672	36 7/8" (937)	38 3/4" (984)	73 1/2" (1867)	75 3/8" (1915)	4
ASDT-30100	30 7/8" (784)	32 3/4" (832)	100 5/8" (2556)	102 1/2" (2604)	5	ASDT-3680	36 7/8" (937)	38 3/4" (984)	80 15/16" (2056)	82 13/16" (2103)	4
ASDT-30108	30 7/8" (784)	32 3/4" (832)	109 7/8" (2791)	111 3/4" (2838)	6	ASDT-3684	36 7/8" (937)	38 3/4" (984)	85 3/4" (2178)	87 5/8" (2226)	5
ASDT-30120	30 7/8" (784)	32 3/4" (832)	120 5/16" (3056)	122 3/16" (3104)	6	ASDT-3696	36 7/8" (937)	38 3/4" (984)	97 11/16" (2481)	99 1/2" (2527)	5
ASDT-30140	30 7/8" (784)	32 3/4" (832)	140 1/8" (3559)	142" (3607)	7	ASDT-36100	36 7/8" (937)	38 3/4" (984)	100 5/8" (2556)	102 1/2" (2604)	5
ASDT-3620	36 7/8" (937)	38 3/4" (984)	21 3/4" (552)	23 5/8" (600)	1	ASDT-36108	36 7/8" (937)	38 3/4" (984)	109 7/8" (2791)	111 3/4" (2838)	6
ASDT-3624	36 7/8" (937)	38 3/4" (984)	26 9/16" (675)	28 3/8" (721)	2	ASDT-36120	36 7/8" (937)	38 3/4" (984)	120 5/16" (3056)	122 3/16" (3104)	6
ASDT-3630	36 7/8" (937)	38 3/4" (984)	29 1/2" (749)	31 3/8" (797)	2	ASDT-36140	36 7/8" (937)	38 3/4" (984)	140 1/8" (3559)	142" (3607)	7
ASDT-3636	36 7/8" (937)	38 3/4" (984)	37" (940)	38 7/8" (987)	2						

**Options:**

- Drain diameter \_\_\_\_\_"
- 16-gauge stainless steel
- Stainless steel drain pan  
(see separate specification sheet)
- Trough Leak Eliminator,  
(patent pending)  
(see separate specification sheet)
- Fiberglass grating color  
(Gray is standard)
  - Black       Green
  - Red         Yellow
- Stainless steel subway grating
- Stainless steel anti-slip subway grating
- ADA grating  
1/2"x1/2" (13x13) spacing
- Heavy-duty fiberglass grating
- Pultruded fiberglass grating
- Standard correctional package with 1 1/2" (38) grates
- Lockdown correctional package with 1 1/2" (38) lockdown grates
- Contact factory for custom sizes and options

**Made To Drain, LLC.**

4900 West Electric Ave. • West Milwaukee, WI 53219  
phone 866.895.7264 • fax 414.902.6564 • e-mail info@madetodrain.com

[www.madetodrain.com](http://www.madetodrain.com)